



Declaration of Performance

www.cawcornwall.com

15

DoP No. CAW013 Crown Bi-Fold Door

Issue 1: 05/01/15

CAW (Cornwall) Limited

| Characteristics | Performance | AVCP | hEN |
|---|---|--|----------------|
| Dangerous substances | None | System 3 Notified bodies performed the determination of the product-type on the basis of type testing, type calculation, tabulated values or descriptive doccumentation of the product, and issueing of test/calculation reports under system 3 | EN14351-1 2010 |
| Thermal transmittance | Uw 1.8 W/m²k (1) Or better than (This figure is based upon centre pane Ug of 1.2 and warm edge spacer, a higher figure would be achieved with a worse performing unit or edge space) | | |
| Load bearing capacity of safety devices | None | | |

Notified Bodies: (1) Exova Warringtonfire EC No. 1104 (Report No WIL328908)

The performance of the products certified with the above unique identification codes are in conformity with the relevant declared performances. This declaration of performance is issues under the sole responsibility of CAW (Cornwall) Ltd, Threemilestone Ind Est, Truro, Cornwall, TR4 9LD, UK Signed for and on behalf of the manufacturer by:

| Name and Function | Place and date of issue | Signalure |
|-----------------------------------|-------------------------|-----------|
| CLIVE PASCOE MANAGING DIRECTOR | TRURO 05.01.15 | CK Vascoe |