



Declaration of Performance

www.cawcornwall.com

DoP No. CAW014

Dualframe 75Si Casement Window

Issue 1: 05/01/15

CAW (Cornwall) Limited

| Characteristics | Performance | AVCP | hEN |
|---|--|---|----------------|
| Dangerous substances | None | System 3 | EN14351-1 2010 |
| Thermal transmittance | Uw 1.6 W/m ² k (1) Or better than <small>(This figure is based upon centre pane Ug of 1.2 and warm edge spacer, a higher figure would be achieved with a worse performing unit or edge space)</small> | Notified bodies performed the determination of the product-type on the basis of type testing, type calculation, tabulated values or descriptive documentation of the product, and issueing of test/calculation reports under system 3 | |
| Load bearing capacity of safety devices | Pass, 350N when fitted (2) | | |

Notified Bodies: (1) Exova Warringtonfire EC No. 1104 (Report No WIL328908), (2) Chiltern Dynamics EC NB No. 1762 (Report No. Chilt/PO8136)
The performance of the products certified with the above unique identification codes are in conformity with the relevant declared performances.
This declaration of performance is issued under the sole responsibility of CAW (Cornwall) Ltd, Threemilestone Ind Est, Truro, Cornwall, TR4 9LD

Signed for and on behalf of the manufacturer by:

| Name and Function | Place and date of issue | Signature |
|-----------------------------------|-------------------------|---------------------|
| CLIVE PASCOE MANAGING DIRECTOR | TRURO 05.01.2015 | <i>Clive Pascoe</i> |